★ 空 运 By Air



NO.2115015042



货物运输条件鉴定书

检查 CNAS IB0071

Certification

for Safe Transport of Chemical Goods

锂电池 -符合包装说明967第11部分

样品名称:

可充电直流灯 MIDIFORM (内置锂离子充电电池 WT872955 3.7V

1600mAh 5, 92Wh)

Sample name:

LED LIGHT MIDIFORM (inside Lithium Battery WT872955 3.7V

1600mAh 5.92Wh)

送检单位:

宁波慧通新能源科技有限公司

NingboHuitong New Energy Technology Co., Ltd

生产单位:

宁波慧通新能源科技有限公司

NingboHuitong New Energy Technology Co., Ltd

上海化工研究院检测中心(上海天科化工检测有限公司)

Shanghai Research Institute of Chemical Industry Testing Centre (Shanghai TECH. Chemical Industry Testing Co.,Ltd)

货物运输条件鉴定书

NO. 2115015042

Page 1/3

Certification for Safe Transport of Chemical Goods

	名名称 imple	中文 Chinese	可充电直流灯 MIDIFORM (内置锂离子充电电池 WT872955 3.7V 1600mAh 5.92Wh)			
name		英文 English	15 Q2Wb)			
送检单位 Consignor		Fig. 1. And Colors	宁波慧通新能源科技有限公司 NingboHuitong New Energy Technology Co., Ltd			
生产单位 Manufacturer		ufacturer	宁波慧通新能源科技有限公司 NingboHuitong New Energy Technology Co., Ltd			
检查方法、程序 Inspection method and procedure		The state of the s	国际航空运输协会《危险品规则》56版 IATA Dangerous Goods Regulations (DGR) 56th Edition			
样品外观 Sample appearance		品外观	蓝色塑胶外壳 Blue Plastics cement shell			
P		t件信息 e information	锂电池总净重≤5kg。 Lithium battery total net we	ight≤5kg.		
序号 NO.		电池种类 Battery type	천号 Model	容量Capacity /锂含量Li content	放置方式 Placement	
1	可充! Rech	电锂离子单电芯电池 Margeable Li-ion gle cell battery	WT872955	1600mAh 5. 92Wh	安装在设备内 Contained in equipment	
鉴定	I DENTI FI CATI ON CON	1. 危险性识别(Hazards identification) 锂离子电池。 Lithium ion battery. 2. 空运按照国际航空运输协会《危险品规则》办理的类项(Suggestion according to IATA DGR) 该物品满足包装说明967基本要求和第II部分的规定。 The goods meet the requirements in General Requirements and section II of Packaging Instructi 967. 3. 包装要求(Packaging requirements) 按包装说明967第II部分要求办理。 The goods are packaged according to the Packaging Instruction 967 section II.			of Packaging Instruction	
结论	CONCLUSI ON				on II.	
	0		ection date): 2014-12-03 -		on II. alid date): 2015-01-01	

批准 Approver: 指一版

Checker:



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 2115015042 Page 2/3


一号	检查结果及其他事项			
No.	Inspection results and other things			
1	本报告所述锂电池按照《危險品规则》(56版) 3.9.2.6(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回的锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management programme as described in IATA DGR 56th 3.9.2.6(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons.			
2	本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proven to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.			
3	设备装入由适当材料构造的坚固外包装内。 The equipment is packed in strong outer packagings constructed of suitable material.			
4	电池具有适当的防短路措施。 设备固定在外包装内以免移动,并配备防止发生意外启动的有效手段。 Cells and batteries are properly protected to prevent short circuits. The equipment is secured against movement within the outer packaging and is equipped with an effective means of preventing accidental activation.			
5	每批托运货物必须附带一份包括以下内容的文件: 一标明包装件内装有锂离子电池芯或电池组。 一标明如包装件受到损坏,必须遵守的特别程序,包括检查和必要时重新包装。 一了解其它情况的电话号码。 一当使用航空货运单时,如果托运货物中有贴锂电池操作标签的包装件,那么必须在"货物名称和数量"栏注明"锂离子电池符合包装说明967第II部分"。 Each consignment must be accompanied with a document with an indication that: 一The package contains lithium ion cells or batteries. 一The package must be handled with care and that a flammability hazard exists if the package is damaged. —Special procedures must be followed in the event the package is damaged, to include inspection and repacking if necessary. —A telephone number for additional information. —Where a consignment includes packages bearing the lithium battery handling label, the words "lithium ion batteries in compliance with Section II of PI 967" must be shown in the "Nature and Quantity of Goods" box of the air waybill, when an air waybill is used.			
6	每个包装件应贴有锂电池操作标签。 Each package should be labelled with a lithium battery handling label.			
7				
	- 验证码:009767-			

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods


NO. 2115015042 Page 3/3
















WT 872955 3.7U 1600mAh 5.92Wh 2014-09-05

